

NANTONG TECHLORD FASTENER CO.,LTD.



► **NANTONG**
TECHLORD FASTENER CO.,LTD.



NANTONG TECHLORD FASTENER CO.,LTD.

Tel: +86 513 85351366

Fax: +86 513 85351369

Website: www.techlord.cn

E-mail: marketing@techlord.cn

Add: C Building, No.188 Tongsheng Road, Nantong China



公司简介 Company profile

Established in the year 2017, Nantong Techlord Fastener Co.,Ltd is a professional fastener manufacturer and distributor. With stable financial reserves, and the best services, Techlord wins a high reputation in commercial field.

Located in Nantong City where is in the north of the Yangtze River Delta, it takes 2 hours' drive to Shanghai, we enjoy very convenient transportation.

Techlord mainly products reach the international quality standards DIN,ISO,ANSI,UNI and so on. We also can produce some non-standard high quality products as customers drawings or samples.

We will, as always, carry out our policy of "quality is priority, perfect service makes profits". to make customers more satisfied, to make employees more happier, and to make the company stronger. You are warmly welcomed to visit our company for business talks in various fields.

C 目錄 CONTENTS



01-04 INSULATION FIXINGS



05-08 STAMPING BRACKETS



09-14 ANCHORS



15-18 METAL FRAMING FIXINGS



19-24 SCREWS NAILS WASHERS NUTS STUDS



25-27 RIGGING AND ACCESSORIES

NANTONG TECHLORD FASTENER CO.,LTD.



Metal Insulation Nails




CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
ISF01/08050	8x50	11
ISF01/08060	8x60	13
ISF01/08080	8x80	15.8
ISF01/08090	8x90	17.2
ISF01/08110	8x110	20
ISF01/08140	8x140	24.2
ISF01/08150	8x150	25.6
ISF01/08170	8x170	30.2
ISF01/08200	8x200	34.6
ISF01/08220	8x220	37.4
ISF01/08230	8x230	38.8
ISF01/08240	8x240	40.2
ISF01/08300	8x300	43.3

Express Nails



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
ISF02/6030	6x30	2.7
ISF02/6040	6x40	3.6
ISF02/6050	6x50	4.5
ISF02/6060	6x60	5.5
ISF02/6080	6x80	7.65
ISF02/6100	6x100	9.8
ISF02/8070	8x70	10.9
ISF02/8090	8x90	14.2
ISF02/8110	8x110	17.3
ISF02/8130	8x130	20.8
ISF02/8150	8x150	23.5
ISF02/8180	8x180	29

Steel Purlin Vertical Flange Clip



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
ISF03/58	58x90x2.6	10.2

PA Framing Fixing



Assemble With Coach Screws/L Hook / C Hook/O Hook,According To Customer's Requirement

CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
ISF04/08080	8x80	2.36
ISF04/08100	8x100	2.76
ISF04/10100	10x100	4.3
ISF04/10115	10x115	4.85
ISF04/10135	10x135	5.45
ISF04/10160	10x160	6.1
ISF04/10180	10x180	6.5
ISF04/10200	10x200	7.14

PP Insulation Plug With PP Nail



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
ISF05/10070	10x70	6.8
ISF05/10090	10x90	9.5
ISF05/10110	10x110	10.5
ISF05/10130	10x130	11.3

PP Insultaion Plug



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
ISF06/08080	8x80	3.375
ISF06/08100	8x100	4.38
ISF06/08110	8x110	4.92
ISF06/08130	8x130	5.92

PA Universal Expansion Plug




CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
ISF09/0635	6x35	0.7
ISF09/0850	8x50	2
ISF09/1060	10x60	3.8

Hammer In Fixings



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
ISF07/1230	12x30	2
ISF07/1240	12x40	3

PA Rimless Screw Plug



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
ISF10/0525	5x25	0.31
ISF10/0630	6x30	0.55
ISF10/0840	8x40	1.3
ISF10/1050	10x50	2.3
ISF10/1260	12x60	4

PE Universal Expansion Plug



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
ISF08/0638	6x38	0.53
ISF08/0851	8x51	1.25
ISF08/1061	10x61	2.29

PA Speed Anchor Point A



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
ISF11/1035	10x35	0.7
ISF11/1342	13x42	1.7
ISF11/1432	14x32	1.325

PA Speed Anchor Point W



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
ISF12/1428	14x28	1.3
ISF12/1342	13x42	1.6

PA Speed Anchor Flat Point



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
ISF13/1425	14x25	1.4

Tool For PA Speed Anchor Flat Point



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
ISF14/1522	15x22	7.89

Nylon Wing Toggle With Screws



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
ISF15/28	28x3.9x45L	6.05
ISF15/38	38x3.9x45L	6.15


Sanitary Fixing



OEM Is Available According To Customer's Samples Or Drawings

CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
ISF16/8110	8x110	78.5
ISF16/1100	10x100	113
ISF16/1120	10x120	132

Sanitary Fixing KIT




OEM Is Available According To Customer's Samples Or Drawings

CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
ISF17/0670	6x70	50

STAMPING BRACKETS

NANTONG TECHLORD FASTENER CO.,LTD.



Isosceles Angle Bracket



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
STB01/30303002	30x30x30x2.0	27.00
STB01/40404002	40x40x40x2.0	48.20
STB01/40406002	40x40x60x2.0	71.70
STB01/40401002	40x40x100x2.0	119.40
STB01/40402002	40x40x200x2.0	238.90
STB01/50503525	50x50x35x2.5	61.90
STB01/60604002	60x60x40x2.0	71.70
STB01/60606002	60x60x60x2.0	107.40
STB01/60608002	60x60x80x2.0	143.30
STB01/60601002	60x60x100x2.0	179.20
STB01/70705525	70x70x55x2.5	139.70
STB01/80804002	80x80x40x2.0	95.50
STB01/80806002	80x80x60x2.0	143.30
STB01/80808002	80x80x80x2.0	191.10
STB01/80801002	80x80x100x2.0	238.90
STB01/90906525	90x90x65x2.5	210.60
STB01/1001002004	100x100x20x4.0	117.60
STB01/1001006002	100x100x60x2.0	179.10
STB01/1001008002	100x100x80x2.0	238.90
STB01/1001001002	100x100x100x2.0	298.60
STB01/1051059025	105x105x90x2.5	351.00
STB01/1251252004	125x125x20x4.0	154.00
STB01/1501502505	150x150x25x5.0	290.60

Non-isosceles Angle Bracket



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
STB03/60406025	60x40x60x2.5	102.8
STB03/10753003	100x75x30x3.0	117.5
STB03/12803504	120x80x35x4.0	202.5
STB03/15503525	150x50x35x2.5	120.3
STB03/18124005	180x120x40x5.0	443.2
STB03/20404002	200x40x40x2.0	149
STB03/30404002	300x40x40x2.0	211.1

Non-isosceles Reinforced Bracket



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
STB04/70506002	70x50x60x2.0	100.4
STB04/90505525	90x50x55x2.5	139.7

Isosceles Reinforced Bracket



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
STB02/25251702	25x25x17x2.0	12.30
STB02/40401702	40x40x17x2.0	20.40
STB02/50501702	50x50x17x2.0	25.70
STB02/70705525	70x70x55x2.5	139.70
STB02/75751702	75x75x17x2.0	39.00
STB02/90906525	90x90x65x2.5	210.60
STB02/1051059025	105x105x90x2.5	280.80
STB02/1501506525	150x150x65x2.5	360.10

L Shaped Bracket



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
STB05/50501002	50x50x10x2.0	13.5
STB05/60601002	60x60x10x2.0	16.6
STB05/75751203	75x75x12x3.0	38
STB05/1001001502	100x100x15x2.0	42.8
STB05/1501502525	150x150x25x2.5	133.7
STB05/2002003003	200x200x30x3.0	257.9
STB05/3003004004	300x300x40x4.0	697.1

135° Angle Bracket



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
STB06/50503525	50x50x35x2.5	61.30
STB06/70705525	70x70x55x2.5	139.70
STB06/90906525	90x90x65x2.5	210.60
STB06/1051059025	105x105x90x2.5	351.00

Pergola Angle Bracket



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
STB07/38030	38x30x30x2.0-8.0x	44.80

T Shaped Bracket



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
STB09/70501602	70x50x16x2.0	24.00

Isosceles Angle Bracket-Round End



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
STB10/20201615	20x20x16x1.5	6.00
STB10/30301615	30x30x16x1.5	10.00
STB10/40401615	40x40x16x1.5	13.00
STB10/50501615	50x50x16x1.5	17.00

Perforated Nail Plate



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
STB08/3510025	35x100x2.5	61.90
STB08/3520025	35x200x2.5	123.80
STB08/4008002	40x80x2.0	47.80
STB08/4010002	40x100x2.0	59.70
STB08/4012002	40x120x2.0	71.70
STB08/4016002	40x160x2.0	95.50
STB08/5016002	50x160x2.0	118.50
STB08/5020002	50x200x2.0	148.10
STB08/5024002	50x240x2.0	177.60
STB08/5514025	55x140x2.5	139.70
STB08/6012002	60x120x2.0	107.50
STB08/6014002	60x140x2.0	125.40
STB08/6016002	60x160x2.0	143.30
STB08/6020002	60x200x2.0	179.10
STB08/6024002	60x240x2.0	215.00
STB08/6030002	60x300x2.0	268.70
STB08/6518025	65x180x2.5	210.60
STB08/8020002	80x200x2.0	238.90
STB08/8024002	80x240x2.0	286.60
STB08/8030002	80x300x2.0	358.30
STB08/9021025	90x210x2.5	351.00
STB08/1001402	100x140x2.0	209.00
STB08/1001602	100x160x2.0	238.90
STB08/1002002	100x200x2.0	298.60
STB08/1002402	100x240x2.0	358.30
STB08/1002602	100x260x2.0	388.10
STB08/1003002	100x300x2.0	447.90
STB08/1004002	100x400x2.0	597.20
STB08/1202002	120x200x2.0	358.30
STB08/1202402	120x240x2.0	429.90
STB08/1202602	120x260x2.0	465.80
STB08/1203002	120x300x2.0	537.40
STB08/1404002	140x400x2.0	836.00
STB08/1604002	160x400x2.0	955.40
STB08/2003002	200x300x2.0	895.70

Purlin Anchor




CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
STB11/170L	170x32x100x2.0	94.30
STB11/210L	210x32x140x2.0	132.00
STB11/250L	250x32x180x2.0	169.80
STB11/290L	290x32x220x2.0	207.50
STB11/170R	170x32x100x2.0	94.30
STB11/210R	210x32x140x2.0	132.00
STB11/250R	250x32x180x2.0	169.80
STB11/290R	290x32x220x2.0	207.50

Joist Hanger-Outer Bend



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
STB12/41110	41x110x75x2.0	296.50
STB12/41140	41x140x75x2.0	362.20
STB12/41170	41x170x75x2.0	431.00
STB12/45108	45x108x75x2.0	296.50
STB12/45138	45x138x75x2.0	362.20
STB12/51105	51x105x75x2.0	296.50
STB12/51135	51x135x75x2.0	362.20
STB12/51165	51x165x75x2.0	431.00
STB12/51195	51x195x75x2.0	496.80
STB12/60100	60x100x75x2.0	296.50
STB12/60130	60x130x75x2.0	362.20
STB12/60160	60x160x75x2.0	431.00
STB12/60190	60x190x75x2.0	496.80
STB12/70125	70x125x75x2.0	362.20
STB12/70155	70x155x75x2.0	431.00
STB12/76122	76x122x75x2.0	362.20
STB12/76152	76x152x75x2.0	431.00
STB12/80120	80x120x75x2.0	362.20
STB12/80150	80x150x75x2.0	431.00
STB12/80180	80x180x75x2.0	496.80
STB12/10140	100x140x75x2.0	431.00
STB12/10170	100x170x75x2.0	496.80
STB12/12160	120x160x75x2.0	496.80
STB12/14180	140x180x75x2.0	565.60

Post Base With Baseplate




CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
STB13/7115002	71x71x150x2.0	1053.00
STB13/9115002	91x91x150x2.0	1247.00
STB13/1011502	101x101x150x2.0	1342.00

Post Base With Rebar



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
STB14/606012004	60x60x120x4.0	895
STB14/706012004	70x60x120x4.0	914
STB14/806012004	80x60x120x4.0	1092
STB14/906012005	90x60x120x5.0	1293
STB14/106012005	100x60x120x5.0	1317
STB14/126012005	120x60x120x5.0	1363
STB14/146012605	140x60x126x5.0	1435
STB14/149012605	140x90x126x5.0	2010

Acoustic Bracket With EPDM Washer And Flat Washer



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
STB15/35	35x33x30x2.6	33.5
STB15/74	74x33x30x2.6	69

ANCHORS

NANTONG TECHLORD FASTENER CO.,LTD.



Tie Wire Anchor



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
ANR01/6050	6x50	9
ANR01/6060	6x60	10.8
ANR01/6120	6x120	23.5

Hollow Wall Anchor With Pan Head Screws



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
ANR04/06	M6x8x25	6.5
ANR04/08	M8x10x30	11.7
ANR04/10	M10x12x40	21.2
ANR04/12	M12x16x50	54.2

Metal Ceiling Anchor



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
ANR02/635	6x35	10
ANR02/640	6x40	11.3
ANR02/665	6x65	15
ANR02/670	6x70	17.2

Hollow Wall Anchor With Pan Head Screws



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
ANR05/420	M4-0.7x20	4.8
ANR05/432	M4-0.7x32	6.5
ANR05/438	M4-0.7x38	7.4
ANR05/446	M4-0.7x46	8.4
ANR05/460	M4-0.7x60	10.5
ANR05/537	M5-0.8x37	12.2
ANR05/552	M5-0.8x52	15.5
ANR05/565	M5-0.8x65	18.8
ANR05/580	M5-0.8x80	22.4
ANR05/637	M6-1.0x37	15.4
ANR05/652	M6-1.0x52	21
ANR05/665	M6-1.0x65	26.4
ANR05/680	M6-1.0x80	30.6

Drop In Anchor



Dimension: MM Or Inch , According To Customer's Requirement

CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
ANR03/06	M6x8x25	6.3
ANR03/08	M8x10x30	11.5
ANR03/10	M10x12x40	21
ANR03/12	M12x16x50	54
ANR03/16	M16x20x65	103
ANR03/20	M20x25x80	206

Hollow Wall Anchor With C Hook Screws



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
ANR06/432	M4-0.7x32	9
ANR06/438	M4-0.7x38	10.1
ANR06/552	M5-0.8x52	20.5

Hollow Wall Anchor With L Hook Screws



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
ANR07/432	M4-0.7x32	8.2
ANR07/438	M4-0.7x38	9.4
ANR07/552	M5-0.8x52	18

Hollow Wall Anchor With O Hook Screws



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
ANR08/432	M4-0.7x32	9.5
ANR08/438	M4-0.7x38	10.5
ANR08/552	M5-0.8x52	22

Metal Frame Anchor-Steel Cone Nut



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
ANR09/08052	M5x8x52	14.5
ANR09/08072	M5x8x72	19.2
ANR09/08092	M5x8x92	23.4
ANR09/08112	M5x8x112	28
ANR09/08132	M5x8x132	31.6
ANR09/08152	M5x8x152	36.8
ANR09/08172	M5x8x172	41.5
ANR09/10052	M6x10x52	22
ANR09/10072	M6x10x72	27.8
ANR09/10092	M6x10x92	33.8
ANR09/10112	M6x10x112	39.6
ANR09/10132	M6x10x132	45.8
ANR09/10152	M6x10x152	52
ANR09/10182	M6x10x182	61
ANR09/10202	M6x10x202	66.8

Metal Hollow Frame Anchor-Steel Nut



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
ANR10/10092	M6x10x92	34.6
ANR10/10112	M6x10x112	40.6
ANR10/10132	M6x10x132	47.6
ANR10/10152	M6x10x152	54.4
ANR10/10182	M6x10x182	63
ANR10/10202	M6x10x202	70.5

Saw Anchor



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
ANR11/0530	5x30	1.8
ANR11/0632	6x32	2.5
ANR11/0860	8x60	9.6
ANR11/1060	10x60	11.63

Spring Toggle



Assemble: With Machine Screw/C Hook Bolts/O Hook Bolts/L Hook Bolts
Dimension: MM Or Inch , According To Customer's Requirement

CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
ANR12/4	M4	2.54
ANR12/5	M5	5.85
ANR12/6	M6	9.38
ANR12/8	M8	19

Hex Head Chemical Stud With Nut And Washer



Material: Carbon Steel/Stainless Steel
Dimension: MM Or Inch , According To Customer's Requirement

CODE	SIZE(MM)	LENGTH(MM)
ANR14	M6-M24	40-300

Wedge Anchor With Nut And Washer



Material: Carbon Steel/Stainless Steel
Dimension: MM Or Inch , According To Customer's Requirement

CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
ANR13/06070	M6-1.0x70	15.52
ANR13/06080	M6-1.0x80	16.94
ANR13/08060	M8-1.25x60	24.76
ANR13/08080	M8-1.25x80	30.71
ANR13/08100	M8-1.25x100	36.86
ANR13/08120	M8-1.25x120	42.6
ANR13/10060	M10-1.5x60	42.88
ANR13/10065	M10-1.5x65	46.66
ANR13/10080	M10-1.5x80	54.01
ANR13/10100	M10-1.5x100	62.88
ANR13/10120	M10-1.5x120	73.29
ANR13/12080	M12-1.75x80	77.8
ANR13/12090	M12-1.75x90	85
ANR13/12100	M12-1.75x100	92.3
ANR13/12120	M12-1.75x120	105.8
ANR13/12150	M12-1.75x150	125.9
ANR13/12200	M12-1.75x200	186.03
ANR13/16100	M16-2.0x100	169.22
ANR13/16120	M16-2.0x120	195.72
ANR13/16150	M16-2.0x150	235.52
ANR13/16175	M16-2.0x175	268.61
ANR13/16180	M16-2.0x180	275.62
ANR13/16200	M16-2.0x200	302.5
ANR13/20120	M20-2.5x120	314.02
ANR13/20140	M20-2.5x140	359.7
ANR13/20160	M20-2.5x160	400.9

One Piece Shield Anchor



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
ANR15/0645	M6x45	8.1
ANR15/0850	M8x50	14.5
ANR15/1055	M10x55	24.4
ANR15/1275	N12x75	44.2

Four Pieces Shield Anchor



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
ANR18/0640	M6x40	10.3
ANR18/0850	M8x50	12
ANR18/1060	M10x60	32
ANR18/1280	N12x80	67.5

Two Pieces Shield Anchor



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
ANR16/0640	M6x40	16.7
ANR16/0845	M8x45	22.4
ANR16/1060	M10x60	34.5
ANR16/1270	N12x70	67.2

Zinc Alloy Nails In Anchor



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
ANR19/630	M6x30	8.8
ANR19/640	M6x40	9.8
ANR19/650	M6x50	12
ANR19/665	M6x65	14.6
ANR19/670	M6x70	15.4

Three Pieces Shield Anchor



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
ANR17/0645	M6x45	17.2
ANR17/0850	M8x50	26.5
ANR17/1055	M10x55	36.5
ANR17/1275	N12x75	67.4

Zamak Selfdrilling Anchor Ponit A



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
ANR20/1428	14x28	4.2
ANR20/1438	14x38	7

Zamak Selfdrilling Anchor Ponit C



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
ANR21/1532	15x32	5.8

Sleeve Anchor -Round Hole with Hex Nut And Washer



Dimension: MM Or Inch , According To Customer's Requirement

CODE	SIZE(MM)	LENGTH(MM)
ANR24	M5-M16	25-400

Zamak Selfdrilling Anchor Ponit W



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
ANR22/1232	12x32	4.8

Strike Pin Anchor With Nut And Washer



Dimension: MM Or Inch , According To Customer's Requirement

CODE	SIZE(INCH)	UNIT WEIGHT (G/PC)
ANR25/12234	1/2x2-3/4	88.23
ANR25/12312	1/2x3-1/2	105.68
ANR25/12434	1/2x4-3/4	115
ANR25/12600	1/2x6	161.2
ANR25/14134	1/4x1-3/4	11
ANR25/14238	1/4x2-3/8	14.5
ANR25/34500	3/4x5	368
ANR25/34600	3/4x6	310
ANR25/34712	3/4x7-1/2	519.91
ANR25/38238	3/8x2-3/8	38.85
ANR25/38312	3/8x3-1/2	54.08
ANR25/38434	3/8x4-3/4	89.42
ANR25/51620	5/16x2	24.71
ANR25/51623	5/16x2-3/4	31.85
ANR25/58400	5/8x4	185
ANR25/58600	5/8x6	299.26

Sleeve Anchor-Oval Hole with Hex Nut And Washer





Dimension: MM Or Inch , According To Customer's Requirement

CODE	SIZE(MM)	LENGTH(MM)
ANR23	M5-M16	25-400

***M**ETAL FRAMING FIXINGS*

NANTONG TECHLORD FASTENER CO.,LTD.



Reinforced Pipe Clamp(M8+10 Nut)+EPDM ZP




CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
MEF01/012	(12-15)x20mm	70
MEF01/015	(15-19)x20mm	73
MEF01/020	(20-24)x20mm	81
MEF01/025	(25-30)x20mm	89
MEF01/032	(32-37)x20mm	99
MEF01/040	(40-45)x20mm	109
MEF01/043	(43-48)x20mm	117
MEF01/048	(48-53)x20mm	120
MEF01/053	(53-58)x20mm	125
MEF01/059	(59-63)x20mm	134
MEF01/060	(60-64)x20mm	138
MEF01/068	(68-73)x20mm	143
MEF01/075	(75-80)x20mm	154
MEF01/081	(81-86)x20mm	162
MEF01/089	(89-91)x20mm	170
MEF01/099	(99-105)x20mm	219
MEF01/108	(108-116)x20mm	232
MEF01/125	(125-130)x20mm	263
MEF01/132	(132-137)x20mm	273
MEF01/135	(135-141)x20mm	283
MEF01/159	(159-166)x20mm	323
MEF01/165	(165-168)x20mm	356
MEF01/216	(216-220)x20mm	419

Hose Clamp



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
MEF02/006	6-12x9mm	10
MEF02/008	8-14x9mm	12
MEF02/010	10-16x9mm	13
MEF02/012	12-20x9mm	14
MEF02/016	16-25x9mm	15
MEF02/020	20-32x9mm	17
MEF02/025	25-40x9mm	22
MEF02/030	30-45x9mm	23
MEF02/040	40-60x9mm	24
MEF02/055	55-70x9mm	26
MEF02/065	65-80x9mm	27
MEF02/075	75-95x9mm	28
MEF02/090	90-110x9mm	40
MEF02/105	105-120x9mm	41
MEF02/115	115-130x9mm	42
MEF02/125	125-140x9mm	44
MEF02/140	140-160x9mm	60
MEF02/155	155-190x9mm	65
MEF02/190	190-205x9mm	80

Steel Banding Wave Type



Surface: Gal.Steel Or PVC Coated

CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
MEF03/1208	12x0.8x10M	508.8
MEF03/1708	17x0.8x10M	757.7
MEF03/2510	25x1.0x10M	1574.9

Steel Banding Straight Type



Surface: Gal.Steel Or PVC Coated


CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
MEF04/1275	12x0.75x10M	477
MEF04/1775	17x0.75x10M	780.8
MEF04/2510	25x1x10M	1743.12

Channel Nut Without Spring



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
MEF05/M6	M6-1.0-6Hx6.0	28
MEF05/M8	M8-1.25-6Hx6.0	27
MEF05/M10	M10-1.5-6Hx8.0	34
MEF05/M12	M12-1.75-6Hx9.2	41

Short Spring Channel Nut




CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
MEF06/M6	M6-1.0-6HX6.0	29
MEF06/M8	M8-6HX6.0	28
MEF06/M10	M10-6HX8.0	36
MEF06/M12	M12-6HX9.2	40

Long Spring Channle1 Nut




CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
MEF07/M6	M6-6HX6.0	30
MEF07/M8	M8-6HX6.0	27
MEF07/M10	M10-6HX8.0	36
MEF07/M12	M12-6HX9.2	40

Beam Clamp



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
MEF08/06	M6	85
MEF08/08	M8	85
MEF08/10	M10	135
MEF08/12	M12	230
MEF08/14	M14	300
MEF08/16	M16	320
MEF08/07	Ø7	85
MEF08/09	Ø9	85
MEF08/11	Ø11	135
MEF08/13	Ø13	230
MEF08/14	Ø14.5	300
MEF08/17	Ø17	320

USA-Beam Clamp



CODE	SIZE(Inch)	UNIT WEIGHT (G/PC)
MEF09/38	3/8"	113
MEF09/12	1/2"	113
MEF09/58	5/8"	113
MEF09/34	3/4"	160

Single-hole Tube Strap Zinc Plated



Dimension: MM Or Inch , According To Customer's Requirement

CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
MEF10/12	12	3.62
MEF10/14	14	5.41
MEF10/16	16	5.94
MEF10/18	18	6.46
MEF10/20	20	6.99
MEF10/22	22	9.81
MEF10/25	25	10.92
MEF10/28	28	12.16
MEF10/32	32	13.68
MEF10/40	40	16.44
MEF10/42	42	17.55

Screws Nails Washers Nuts Studs

NANTONG TECHLORD FASTENER CO.,LTD.



Thread Rod



CODE	SIZE(MM)	Length(MM)
FAS01	M3-M36	1000-3000

Hex Head Bolt With Washer And Nut



CODE	SIZE(MM)	Length(MM)
FAS02	M5-M24	30-160

Spring Washer



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
FAS03/03	M3	0.11
FAS03/04	M4	0.18
FAS03/05	M5	0.36
FAS03/06	M6	0.83
FAS03/08	M8	1.6
FAS03/10	M10	2.53
FAS03/12	M12	3.82
FAS03/14	M14	6.01
FAS03/16	M16	8.91
FAS03/18	M18	9.73
FAS03/20	M20	15.2
FAS03/24	M24	26.2
FAS03/30	M30	44.3

Coach Screw



CODE	SIZE(MM)	Length(MM)
FAS04/05	5	25-70
FAS04/06	6	20-160
FAS04/07	7	30-160
FAS04/08	8	25-300
FAS04/10	10	30-300
FAS04/12	12	40-300
FAS04/16	16	50-300

Drywall Screw



Thread: Fine Thread Or Coarse Thread

CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
FAS05/35016	3.5x16	1
FAS05/35019	3.5x19	1.08
FAS05/35025	3.5x25	1.2
FAS05/35032	3.5x32	1.68
FAS05/35038	3.5x38	1.9
FAS05/35041	3.5x41	2.01
FAS05/35050	3.5x50	2.42
FAS05/42070	4.2x70	4.35
FAS05/42076	4.2x76	4.8
FAS05/48090	4.8x90	7.5
FAS05/48100	4.8x100	8.4
FAS05/48120	4.8x120	10
FAS05/48127	4.8x127	10.84
FAS05/48152	4.8x152	12.98

Chipboard Screw



CODE	SIZE(MM)	Length(MM)
FAS06/25	2.5	10-25
FAS06/30	3	10-45
FAS06/35	3.5	12-60
FAS06/40	4	12-80
FAS06/45	4.5	12-100
FAS06/50	5	12-120
FAS06/60	6	20-240

Twisted Roofing Nails With Washer



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
FAS07/37075	3.7x75	11.8
FAS07/37110	3.7x110	13.2

C Hook Screw



OEM Is Available According To Customer's Samples Or Drawings

CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
FAS08/0455	4.0x55	3.6
FAS08/4565	4.5x65	5.9
FAS08/5590	5.5x90	17
FAS08/7597	7.5x97	24

O Hook Screw



OEM Is Available According To Customer's Samples Or Drawings

CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
FAS09/12210	12x210	238
FAS09/12240	12x240	272
FAS09/12280	12x280	297
FAS09/12350	12x350	359
FAS09/12400	12x400	400

Shoot Nails



OEM Is Available According To Customer's Samples Or Drawings

CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
FAS11/4530	4.5x30	4.65
FAS11/4540	4.5x40	5.95
FAS11/4550	4.5x50	7.2
FAS11/4560	4.5x60	8.5

L Hook Screw



OEM Is Available According To Customer's Samples Or Drawings

CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
FAS10/04040	4.0x40	3.1
FAS10/45050	4.5x50	5.1
FAS10/55060	5.5x60	8.8
FAS10/06075	6.0x75	13
FAS10/75075	7.5x75	21
FAS10/06100	6.0x100	16.4
FAS10/06120	6.0x120	19
FAS10/07120	7.0x120	30
FAS10/07155	7.0x155	37
FAS10/07180	7.0x180	42
FAS10/08100	8.0x100	36

Paper Nails



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
FAS12/28760	2.87x60	3.15
FAS12/31590	3.15x90	5.69

Blind Rivet



Material: Carbon Steel Or Stainless Steel

Type: Domed Head/ CSK Head/Large Head/Extra Large Head

CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
FAS13/2406	2.4X6	0.571
FAS13/2410	2.4x10	0.66
FAS13/3004	3X4	0.921
FAS13/3006	3X6	0.955
FAS13/3008	3X8	0.977
FAS13/3010	3x10	0.999
FAS13/3206	3.2x6	0.96
FAS13/3208	3.2X8	1
FAS13/3210	3.2X10	1.03
FAS13/4006	4X6	1.51
FAS13/4008	4x8	1.55
FAS13/4010	4X10	1.59
FAS13/4012	4X12	1.75
FAS13/4014	4X14	1.91
FAS13/4016	4x16	1.95
FAS13/4018	4X18	2.14
FAS13/4808	4.8X8	2.28
FAS13/4810	4.8X10	2.51
FAS13/4812	4.8x12	2.58
FAS13/4814	4.8x14	3.15
FAS13/4818	4.8X18	3.15
FAS13/4822	4.8x22	3.27
FAS13/4827	4.8X27	3.705
FAS13/6010	6x10	5.11
FAS13/6015	6X15	5.74

Drilling Screw With EPDM Washer



Dimension: MM Or Inch , According To Customer's Requirement


CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
FAS14/42013	4.2x13	2.5
FAS14/42016	4.2x16	2.8
FAS14/42019	4.2x19	3
FAS14/42022	4.2x22	3.2
FAS14/42025	4.2x25	3.46
FAS14/42032	4.2x32	4.08
FAS14/48013	4.8x13	2.62
FAS14/48016	4.8x16	2.87
FAS14/48019	4.8x19	3.13
FAS14/48022	4.8x22	3.4
FAS14/48025	4.8x25	3.68
FAS14/48032	4.8x32	4.31
FAS14/48038	4.8x38	4.77
FAS14/48050	4.8x50	5.72
FAS14/55019	5.5x19	4.41
FAS14/55022	5.5x22	4.79
FAS14/55025	5.5x25	5.17
FAS14/55032	5.5x32	6.06
FAS14/55038	5.5x38	6.82
FAS14/55045	5.5x45	7.7
FAS14/55050	5.5x50	8.34
FAS14/55075	5.5x75	11.5
FAS14/63019	6.3x19	6.73
FAS14/63025	6.3x25	7.77
FAS14/63032	6.3x32	8.93
FAS14/63038	6.3x38	9.93
FAS14/63045	6.3x45	11.1
FAS14/63050	6.3x50	11.92
FAS14/63075	6.3x75	16.07
FAS14/63080	6.3x80	16.9
FAS14/63090	6.3x90	18.56
FAS14/63100	6.3x100	20.22
FAS14/63110	6.3x110	21.88
FAS14/63120	6.3x120	23.54
FAS14/63140	6.3x140	26.86

Metal Frame Screw/Torx CSK Head



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
FAS15/052	7.5x52	10.8
FAS15/072	7.5x72	14.8
FAS15/092	7.5x92	18.8
FAS15/112	7.5x112	22.8
FAS15/132	7.5x132	26.8
FAS15/152	7.5x152	30.8
FAS15/182	7.5x182	36.8
FAS15/202	7.5x202	40.8
FAS15/212	7.5x212	42.8

Metal Frame Screw/Torx Cylinder Head



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
FAS16/052	7.5x52	11.3
FAS16/072	7.5x72	15.3
FAS16/092	7.5x92	19.3
FAS16/112	7.5x112	23.3
FAS16/132	7.5x132	27.3
FAS16/152	7.5x152	31.3
FAS16/182	7.5x182	37.3
FAS16/202	7.5x202	41.3
FAS16/212	7.5x212	43.3

Hex Socket Head Conformat Screw



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
FAS17/550	5x50	4.7
FAS17/740	7x40	6.4
FAS17/750	7x50	7.8
FAS17/770	7x70	10.7


Hex Nut



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
FAS18/04	M4-0.7	0.685
FAS18/05	M5-0.8	1.04
FAS18/06	M6-1.0	2.22
FAS18/08	M8-1.25	4.7
FAS18/10	M10-1.5	10.4
FAS18/12	M12-1.75	15.3
FAS18/14	M14-2.0	22.5
FAS18/16	M16-2.0	30.7
FAS18/18	M18-2.5	44
FAS18/20	M20-2.5	58.8
FAS18/24	M24-3.0	103
FAS18/30	M30-3.5	208.3
FAS18/36	M36-4.0	393

Rigging and Accessories

NANTONG TECHLORD FASTENER CO.,LTD.



Wire Rope



CODE	Description	SIZE(MM)
RIA01/607FC	6x7+FC	2-22
RIA01/607IW	6x7+IWS	2-22
RIA01/619FC	6X19+FC	3-34
RIA01/619IW	6X19+IWC	3-34

Link Chain



CODE	Description	SIZE(MM)
RIA02/5A	DIN5685A Link Chain	2-13
RIA02/5C	DIN5685C Link Chain	2-13
RIA02/763	DIN763 Link Chain	2-32
RIA02/764	DIN764 Link Chain	4-33
RIA02/765	DIN766 Link Chain	2-32

Dee Shackle



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
RIA03/05	5	12
RIA03/06	6	22
RIA03/08	8	48
RIA03/10	10	78
RIA03/12	12	150
RIA03/16	16	380
RIA03/20	20	720
RIA03/22	22	990
RIA03/25	25	1500
RIA03/28	28	2200
RIA03/32	32	3200
RIA03/45	45	10000
RIA03/50	50	12500

Wire Rop Clip



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
RIA04/03	3	14
RIA04/05	5	15
RIA04/06	6	21
RIA04/08	8	41
RIA04/10	10	68
RIA04/14	14	135
RIA04/16	16	210
RIA04/19	19	280
RIA04/22	22	400
RIA04/26	26	440
RIA04/30	30	660
RIA04/40	40	1040

Turnbuckle Drop Forged



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
RIA05/06	M6	90
RIA05/08	M8	150
RIA05/10	M10	260
RIA05/12	M12	400
RIA05/16	M16	950
RIA05/20	M20	1640
RIA05/22	M22	2310
RIA05/24	M24	2850
RIA05/30	M30	4110
RIA05/36	M36	7450

Snap Hook



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
RIA06/060	60mm (X245 60x6mm)	27
RIA06/070	70mm (X245 70x7mm)	42
RIA06/080	80mm (X245 80x8mm)	63
RIA06/090	90mm (X245 90x9mm)	77
RIA06/088	88mm (X50 - 3-3/4")	125
RIA06/093	93mm (X86 - 3/4")	64
RIA06/110	110mm (X55 - 1-1/8")	68

S Hook



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
RIA07/35	35mm (4.0x38mm)	7.3
RIA07/55	55mm (6.0x60mm)	23
RIA07/75	75mm (8.0x80mm)	68

Quick Link



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
RIA08/31	31.5mm (X508 - 4)	12
RIA08/45	45mm (X508 - 6)	35
RIA08/58	58mm (X508 - 8)	78
RIA08/69	69mm (X508 - 10)	135

R Clip



CODE	SIZE(MM)	UNIT WEIGHT (G/PC)
RIA09/2	2mm	3
RIA09/3	3mm	7
RIA09/4	4mm	15
RIA09/5	5mm	29
RIA09/6	6mm	53



ISO 9001:2015
CE EN14566
CE EN14592